

Equipment

| | |
|---|--|
| ABOVE SPEC TYRES | WITHOUT ABOVE SPEC TYRES |
| ACCIDENT PROTOCOL | WITHOUT |
| ACOUSTIC IMPROVEMENT | WITH ACOUSTIC IMPROVEMENT |
| ADDITIONAL ELECTRONIC UNIT | WITHOUT ADDITIONAL ELECTRONIC UNIT |
| ADDITIONAL HEATING | WITHOUT ADDITIONNAL HEATING |
| ADDITIONAL SHIELD (UNDER ENGINE) | W/O ENGINE UNDERSHELDING |
| AIRBAG DEACTIVATION | MANUAL AIRBAG DEACTIVATION |
| AIR CONDITIONING | WITH AUTO RECIRCULATION HEATER MATRIX |
| AIR CONDITIONING (COMPRESSOR) | EXTERNAL VARIABLE COMPRESSOR WITHOUT CLUTCH |
| AIR CONDITIONING PIPES | IHX TECHNOLOGY AIR CONDITIONING PIPES |
| AIR DUCT (RECIRCULATION) | WITHOUT RECYCLING PARTITION ON FRONT PANEL |
| ALTERNATOR | ALTERNATOR 150 AMP |
| ANTI-INTRUSION PROTECTION | WITHOUT ANTI-THEFT PROTECTION |
| ANTI-THEFT ALARM | WITHOUT THEFT PROTECTION ALARM |
| ANTI-THEFT NUTS | WITHOUT ANTI-THEFT NUTS |
| ATMOSPHERIC CONDITIONS | DUSTY ATMOSPHERE |
| AUDIO PACK AUXILIARY SOCKET | 2 USB PORTS |
| AUTOMATIC BRAKING | WITHOUT EMERGENCY COLLISION BRAKING SYSTEM |
| BATTERY | BATTERY L3 720 LDC |
| BATTERY CHARGE MEASUREMENT | WITH BATTERY CHARGE MEASUREMENT |
| BATTERY CHARGER | WITHOUT ON-BOARD CHARGER |
| BLIND SPOT DETECTION | WITHOUT BLIND SPOT MONITORING |
| BOOT CONTROL | NON-MOTORISED BOOT OR TAILGATE CONTROL |
| BRAKE PEDAL RATIO | BRAKE PEDAL RATIO 3.5 |
| BRAKE TYPE | VENTILATED FRONT DISCS/REAR DISCS |
| BUMPER | BODY COL STD FR BUMPER + RR BODY COL WITH TAILPIPE |

| | |
|---|---|
| CAPACITY | 1600 CM3 |
| CARPET COVER | BLACK MAT CONTRAST SURROUND+LASER ENGRAVING |
| CEN. LOCKING REM CONTROL FREQUENCY | 433.92 MHZ SUPER HETERODYNE |
| CHILD LOCK | MANUAL REAR CHILD LOCK |
| CHILD SEAT ANCHORING POINTS | WITH CHILD SEAT MOUNTING WITH ISO FR AND RR |
| CITY PARK | WITHOUT CITY PARK |
| CLEAN CABIN | WITHOUT CLEAN CABIN |
| CLIMATE (AMBIENT TEMP) | HOT OR WIDER TEMPERATE COUNTRY |
| CLUTCH | WITHOUT CLUTCH |
| CONDENSER (SPECIFICATIONS) | CONDENSER 23.5DM2 THICKNESS 16 LOW OUTLET |
| COOLING MOTOR | RADIATOR 28DM2 EP: 18 BRAZED ALU |
| COURTESY MIRROR | DRIVER'S + PASSENGER'S CONCEALABLE WITH LIGHT |
| CRANKCASE GAS CIRCUIT HEATING | WITH HEATER CASING GAS CIRCUIT |
| CRUISE CONTROL | PROGRAMMABLE CRUISE CONTROL AND SPEED LIMITER |
| CUSHION PADDING | PADDING WITH PASSENGER DETECTION PAD |
| DAMPING (TYPE) | DOUBLE HYDRAULIC STOP DAMPING |
| DEFINITION TO FOLLOW | INITIALE RANGE |
| DEFLECTOR UNDER RESERVOIR | REINFORCED DEFLECTOR UNDER TANK |
| DEVICE (ANTIPOLLUTION) | WITHOUT ANTI-POLLUTION DEVICE |
| DIESEL FILTER WATER DETECTOR | WITHOUT DIESEL FILTER WATER DETECTOR |
| DOOR SEAL | FRONT DOOR FRONT SEAL |
| DOOR TRIM | GLOSS BLACK DECOR DOOR TRIM |
| DRIVER SEAT ADJUSTMENT | DRIVER'S SEAT BACK WITH ANGLE ADJUSTMENT AND LUMBAR SUPPORT |
| DRIVER SEAT CONTROL | MANUAL DRIVER'S SEAT CONTROL |
| DRIVER VIGILANCE ALERT | DRIVER VIGILANCE PAUSE ALERT |
| DRIVE TRAIN | INTERNAL COMBUSTION DRIVE TRAIN |
| DRIVING POSITION | LEFT-HAND DRIVE |
| DYNAMIC STABILITY CONTROL SYSTEM | ELECTRONIC STABILITY PROGRAM |
| ECO BUTTON | WITHOUT ECO BUTTON |
| EMERGENCY EQUIPMENT | W/O HELP EQUIPMENT |
| EMERGENCY WARNING TRIANGLE | WITHOUT WARNING TRIANGLE |
| EMISSIONS STANDARD (ENGINE) | EURO 6.1 ENGINE EMISSION CONTROL |
| ENGINE (TYPE) | EP TYPE ENGINE |
| ENGINE BAY SOUNDPROOFING | SOUNDPROOFING FOR BULKHEAD + WHEELARCH + POWER TRAIN |
| ENGINE SUSPENSION | LIGHTENED ENGINE SUSPENSION |
| EOBD SELF-DIAGNOSIS SYSTEM | WITHOUT "OBD" AUTO-DIAGNOSTICS |

| | |
|---|---|
| EQUALISER AMPLIFIER | WITHOUT EQUALISER AMPLIFIER |
| EXHAUST | STANDARD EXHAUST |
| EXHAUST TAILPIPE | WITHOUT EXHAUST TAIL PIPE |
| EXT. LOAD RETENTION RING (ATTACHMENT) | BOAT EXT LASHING RING |
| EXT. REAR VIEW MIRROR (DRIVER SIDE RADIUS) | CURVED EXTERIOR MIRROR GLASS |
| EXT. REARVIEW MIRROR COMP. FUNCTION | ELECTRIC FOLDING EXTERIOR MIRROR |
| EXT DETECTION ADDITIONAL DISPLAY | WITHOUT ADDITIONAL DISPLAYING EXTERIOR DETECTION |
| EXTERIOR ACCESSORIES | BODY COLOUR EXTERIOR HANDLE |
| EXT MIRROR APPEARANCE | BODY COLOUR EXT MIRROR + COLOUR DYED MIRROR BASE |
| FAN | 1 X 2-SPEED FAN 140W AERO DYNAMIC FLAP |
| FINAL DRIVE RATIO | REAR AXLE GEARSET 15 X 61 |
| FOOTWELL LIGHTING | DRIVER + FR PASSENGER FOOTWELL LIGHTING |
| FR DISC DIMENSION | FRONT DISC DIAMETER 304 THICKNESS 28 |
| FR IMPACTS | REINFORCED FR IMPACT PROTECTORS |
| FRONT ANTI-ROLL BAR | FR ANTI-ROLL BAR STIFFNESS 30000 NM/RAD |
| FRONT FOG LAMP | FOG LAMPS WITH CORNERING LIGHT |
| FRONT HEAD RESTRAINT | 4-WAY ADJUSTABLE FRONT HEAD RESTRAINT |
| FRONT PANEL | FRONT PANEL SET BACK |
| FRONT PASSENGER SEAT ADJUSTMENT | ADJUSTMENT FRONT PASSENGER SEAT CUSHION RECLINING SEAT BACK |
| FRONT PASSENGER SEAT CONTROL | MANUAL FRONT PASSENGER SEAT CONTROL |
| FRONT TRACK WIDTH | "VA621" TRACK WIDTH/FILTERING BY VIN COMPULSORY |
| FUEL | UNLEADED PETROL 95 QUALITY A/B/E/E+ |
| FUEL (TYPE) | PETROL TYPE FUEL |
| FUEL ADDITIVE | WITHOUT FUEL ADDITIVE |
| FUEL EVAPORATION | STANDARD FUEL EVAPORATION |
| FUEL SUPPLY | DIRECT EXCHANGER TURBO INJECTION |
| FUEL TANK | FUEL TANK WITHOUT LOCATING TAB |
| FUEL TANK CAPACITY | 53 LITRE FUEL TANK |
| GEARBOX (CHARACTERISTICS) | AT6 AUTOMATIC GEARBOX |
| GEARBOX REINFORCEMENT | WITHOUT GEARBOX REINFORCEMENT |
| GEARBOX TYPE | AT6 3 AUTOMATIC GEARBOX |
| GEAR CHANGE CONTROL TYPE | ELECTRIC GEAR ENGAGEMENT CONTROL |
| GEAR SELECTOR | RAISED GEAR LEVER AT THE FLOOR + AT THE STEERING WHEEL |
| GLASS (APPEARANCE) | TINTED + DARK-TINTED WINDOW GLASS |
| HANDS FREE ACCESS AND STARTING | WITHOUT HANDS-FREE ACCESS/STARTING |
| HANDS FREE BOOT ACCESS | WITHOUT HANDS FREE BOOT ACCESS |

| | |
|---|--|
| HEADLAMP BULBS | LED LAMP + HALOGEN BULB |
| HEADLAMP HEIGHT ADJUSTER | REMOTE MANUAL HEADLAMP ADJUSTMENT |
| HEATING ELEMENT | NON HEATED SEAT |
| HILL ASSIST | WITH HILL START ASSIST |
| HORNS | HORNS-HARMONY |
| IN CRASH BRAKING | WITHOUT AUTOMATIC BRAKING AFTER COLLISION |
| INFLATION PRESSURE LOSS INDICATOR | INDIRECT DETECTION OF UNDER-INFLATION WITH LOCATION |
| INSTRUMENT PANEL (CHARACTERISTICS) | DIGITAL INSTRUMENT PANEL 29 WARNING LAMPS |
| INTERIOR REAR VIEW MIRROR | ELECTROCHROMATIC DAY-NIGHT INTERIOR MIRROR |
| JUKE BOX | WITHOUT JUKE BOX |
| LABEL | WITHOUT LABEL |
| LIGHTENING OF LEVEL 0 | WITHOUT LIGHTENING |
| LIGHTING OF LAMPS | AUTOMATIC SWITCHING ON OF LIGHTS |
| LOAD SPACE STORAGE | RETRACTABLE FLOOR STORAGE COMPARTMENT |
| LOCKING CONTROL | NORMAL + AUTOMATIC LOCKING |
| MASSAGING SEAT | WITHOUT MASSAGING SEAT |
| MIRROR LINK | WITH MIRROR LINK |
| MISC. INT. LAMPS | 1 FRONT COURTESY LAMP + 2 FRONT READING LAMPS + 1 REAR COURTESY LAMP |
| MODIFICATION WINDOW | 2ND WINDOW 2018 / BEFORE 2ND WINDOW 2020 |
| MODIFICATION WINDOW | 3RD WINDOW 2018 / BEFORE 3RD WINDOW 2020 |
| MODIFICATION WINDOW | 1ST WINDOW 2019/BEFORE 1ST WINDOW 2021 |
| MODIFICATION WINDOW | 2ND WINDOW 2019/BEFORE 2ND WINDOW 2021 |
| MODIFICATION WINDOW | 3RD WINDOW 2017 / BEFORE 3RD WINDOW 2019 |
| MODIFICATION WINDOW | 1ST WINDOW 2018 / BEFORE 1ST WINDOW 2020 |
| MULTIPLEXING | R3 ECO ELECTRICAL ARCHITECTURE |
| OBSTACLE DETECTION SYSTEM | FRONT-REAR RADAR OBSTACLE SENSOR |
| OIL GAUGE | STD OIL LEVEL INDICATOR |
| ORIGINAL ENGINE BASE | EP6FDT ENGINE BASE |
| PANORAMIC VISUAL AID | WITH REAR PANORAMIC VISUAL ASSISTANCE VISIO PARK1 |
| PARTICLE FILTER | WITHOUT PARTICLE FILTER |
| PASSENGER COMPARTMENT HEATER | WITHOUT PASSENGER COMPARTMENT HEATER |
| PEDAL BRACKET (POSITION) | PLASTIC LOW PEDAL BRACKET |
| PEDAL BRACKET (TYPE) | SIMPLE STANDARD PEDAL BRACKET |
| PILOTED AIR INLET MODULE | WITHOUT CONTROLLED AIR INTAKE MODULE |
| POLLEN FILTER | WITH POLLEN FILTER + ACTIVATED CARBON |
| POWER VARIATION (ENGINE) | 121.4 KW - 240NM |
| PROTECTION UNIT | TERMINAL FUSE PROTECTION UNIT |
| PTC RESISTOR POWER | WITHOUT PTC POWER RESISTOR |

| | |
|------------------------------------|---|
| RADIO FREQUENCY | ARABIA RADIO FREQUENCY |
| RADIO HEADPHONE SOCKET | DOUBLE ACCESSORY SOCKET |
| RADIO RECEIVER | ANALOGUE CONNECTED COLOUR RADIO |
| REAR ANTI-ROLL BAR | REAR ANTI-ROLL BAR STIFFNESS 30000 NM/RAD |
| REAR PASSENGER PROTECTION | W/O RR PASSENGER PROTECTION |
| REAR SEATBELT | 2 PYRO RETRACTOR+ SEATBELT FASTENED TELL-TALE |
| REAR SEAT PADDING | REAR PASSENGER DETECTION WITH PAD |
| REAR SPOILER | REINFORCED REAR FLOOR REAR DEFLECTOR |
| REAR SUSPENSION (TYPE) | DEFORMABLE CROSSMEMBER |
| REFRIGERANT | REFRIGERANT LIQUID R134 |
| REFRIGERATION | AUTOMATIC AIR CONDITIONING |
| REPARABILITY | STANDARD REPARABILITY |
| RIM/TYRE SIZE | 18 INCH TYRE FITMENT |
| RIM (COLOUR) | GREY BLACK TWO-TONE DIAMOND |
| ROOF (EXT. ASPECT) | BODY COLOUR ROOF |
| ROOF GLASS | WITHOUT ROOF WINDOW |
| RR BRAKE DIMENSION | REAR DISC DIAMETER 290 THICKNESS 12 |
| RR OVERHANG | REAR OVERHANG 616 MM |
| SATELLITE NAVIGATION SYSTEM | WITHOUT NAVIGATION SYSTEM |
| SCREEN UNDER POWER TRAIN | EXTENDED LIGHTENED LONG DEFLECTOR |
| SCR RESERVOIR CAPACITY | WITHOUT SCR RESERVOIR BUFFER |
| SCR SYSTEM | WITHOUT SCR SYSTEM |
| SEATING ASSOCIATED VARIANT | VARIANT ASSOCIATED WITH HIGH SEAT POSITION |
| SECONDARY BRAKE | ELECTRIC SECONDARY BRAKE |
| SET OF KEYS | 2 HIGH FREQUENCY REMOTE CONTROL KEYS |
| SIDE IMPACTS | REINFORCED SIDE IMPACT PROTECTORS |
| SIDE MOULDINGS (DIMENSION) | WITHOUT SIDE PROTECTOR, WITH CHROME SILL |
| SIDE MOULDINGS (TYPE) | RED |
| SIDE WINDOW TYPE | TOUGHENED SIDE WINDOW |
| SIGN READING | WITHOUT SIGN READING |
| SLAVE CONTROL UNIT | BSI + COM 2008 |
| SPECIAL POWER TRAIN SOUND | WITHOUT POWER TRAIN ACOUSTICS |
| SPEED GRADUATIONS | SPEED GRADUATION IN KM/H |
| SPEED MONITORING | WITHOUT SPEED CHECK |
| SPEED SENSOR SIGNAL | FRONT WHEEL SENSOR NON-SIGN RR SIGNED |
| STARTER MOTOR | STARTER MOTOR CL 5 |
| STEERING (OPERATION) | LOW POWER DOUBLE PINION ELECTRIC POWER STEERING |
| STEERING COLUMN | RETRACTABLE STEERING COLUMN |
| STEERING WHEEL | 3-SPOKE CRUST LEATHER STEERING WHEEL |
| STEERING WHEEL ANGLE | WITH STEERING ANGLE SENSOR |

| | |
|---------------------------------------|--|
| STOP AND START | WITHOUT STOP AND START |
| STRIPPING | WITHOUT |
| SUBFRAME | HARDENED STEEL WITH EXTENSIONS |
| SUN VISOR LABEL | WITHOUT SUN VISOR LABEL |
| SURFACE CONDITIONS | UNEVEN TERRAIN |
| SUSPENSION | FR/RR HEAVY DUTY SUSPENSION |
| SUSPENSION (ARCHITECTURE TYPE) | METAL SUSPENSION |
| SUSPENSION WISHBONE | STEEL SUSPENSION WISHBONE EP.5MM E1.1700 E2.75 SYM |
| TANK FILTER | RESERVOIR FILTER EXTERIOR |
| TECHNICAL MODIFICATION | WITHOUT THE TRAPPER MODULE |
| TELEMATIC UNIT | WITHOUT TELEMATIC UNIT |
| TOWBAR | WITHOUT TOWBAR |
| TRAFFIC INFORMATION READER | WITHOUT LATERAL TRAJECTORY MONITORING |
| TRAFFIC SIDE | DRIVING ON THE RIGHT-HAND SIDE |
| TUNER RADIO | DUAL RADIO TUNER |
| TYPE OF MAINTENANCE | SEVERE MAINTENANCE |
| TYRE (BRAND) | MICHELIN TYRE |
| TYRE (QUALITY) | TYRE GRADE C1-B-ROLLING RESISTANCE COEFFICIENT BETWEEN 6.6 AND 7.7 |
| TYRE (SIZE, TYPE) | 235/55 R18 100V NON-REINFORCED TYRE |
| UNDERBODY SHIELD | WITHOUT PROTECTION UNDER BODY |
| VARIANT ASSOCIATED WITH DESIGN | EUROPE |
| VEHICLE TECHNICAL DEPOLLUTION | LOWER EURO 5 VEHICLE TECHNICAL EMISSION CONTROL |
| VIDEO RECORDING (IDVR) | WITHOUT VIDEO RECORDING |
| VIN PLATE | OUTSIDE EUROPEAN UNION CONSTRUCTOR'S PLATE |
| WARNING LAMPS (TYPE) | VISUAL + AUDIBLE INDICATORS FRONT AND 3 REAR SEAT BELTS |
| WATER DRIVING RESTRICTION | WITHOUT WATER DRIVING CONSTRAINT |
| WHEEL (TYPE) | ALLOY WHEEL ASSEMBLY 1 |
| WHEELBASE | WHEELBASE 2730 |
| WHEEL EMBELLISHER (STYLE) | WITHOUT WHEEL TRIM |
| WHEEL HUB CARRIER | WHEEL STUD DIAMETER 80 |
| WHEEL STYLE | 18-INCH ARMON2 |
| WIDENED RR TRACK | WIDENED REAR TRACK RG841 |
| WIFI | WITHOUT WIFI |
| WINDOW (TYPE) | ACOUSTIC LAMINATED WINDSCREEN + TOUGHENED REAR GLASS |
| WINDSCREEN GLASS (TYPE) | STANDARD WINDSCREEN GLASS |
| WINDSCREEN WIPER | FRONT WIPER BLADE WITH RAIN SENSOR |