

2022 New Model Nissan Navara DC SE 4x4 2.5L Gas 6-Speed MT 168bhp

SE



STOCK#:Z0013422

Sold

MILEAGE	10Mi (16.09) Km	ENGINE	2488 cc
TRANSMISSION	6-Speed MT	BODY STYLE	Pick-Up
DRIVELINE	4x4	FUEL TYPE	Gasoline
RHD / LHD	LHD	INCOTERMS	
EMISSIONS	Export Emission	LOCATION	Durban, South Africa VDS
INTERIOR COLOR	Gray	EXTERIOR COLOR	White
CYLINDERS	4	TITLE TYPE	Inhouse Certificate of Origin

Description

Sales Description: 2022 New Model Nissan Navara DC SE 4x4 2.5L Gas 6-Speed MT 168bhp.
Market Restriction: NAFTA & Restricted Countries. Equipment: 17" Steel Wheels, Audio - CD, AM/FM, RDS, Bluetooth Connectivity, Power windows with driver auto up/down button, Door Mirrors: Power Adjustment + Auto Fold, Speed sensing auto door lock, Central locking, Body Coloured Front, Halogen Headlights, 3 x USB port, Air-conditioning, Steering wheel Controls, 80L Fuel tank capacity, Driver seat adjustment: 6-way manual, Pass seat adjustment: 4-way manual, Seats: Fabric, Floor: Carpet, Driver and front passenger airbags, Front seat belts 3-point ELR with pre-tensioner, load limiter and seatbelt reminder, Front Suspension: Independent double-wishbone + stabiliser, 2 x Front cup holders, 2 x Rear door storage pockets and bottle holder, 2 x Sunglass holder, 2 x 12V outlet inside cabin, Rear air vents in centre console, Rear screen: manual slide, Audio Harness/Wiring , Rear seat belts (3) 3-point ELR, ISOFIX child seat anchorage, Anti-theft system (Immobiliser), Anti-lock Braking System (ABS), Electronic Brake force Distribution (EBD), Brake Assist (BA), Vehicle Dynamic Control (VDC), Trailer Stability Assist (TSA), Hill Start Assist (HSA), Hill Descent Control (HDC), Rear brakes - drum, Front brakes - ventilated discs, Rear Suspension: Leaf Spring, Tires: 255/65 R17 AT, Front and rear mud flaps, Front towing hook, 12V outlet inside load box, Windscreen wipers: Variable Intermittent, Dimensions: Kerb Weight: 1988 kg, Length: 5260mm / Width excl. Mirrors: 1850mm / Height: 1810mm, Ground Clearance: 22.3cm, Wading Depth: 60cm

More Images















