

2025 Nissan Navara Double Cab 2.5L LE Plus 4X4 MT



STOCK#:GEN-003

Available

MILEAGE	10Mi (16.09) Km	ENGINE	2.5L
TRANSMISSION	MT	BODY STYLE	Pick up
DRIVELINE	4WD	FUEL TYPE	Gasoline
RHD / LHD	LHD	INCOTERMS	EXW
EMISSIONS	Export Emissions	LOCATION	CAS Storage Middle East
INTERIOR COLOR		EXTERIOR COLOR	Gray
CYLINDERS	4 Cylinders	TITLE TYPE	Certificate of Origin

Description

2025 Nissan Navara Double Cab 2.5 LE Plus 4X4 MT.

Minimum of 8 units must be purchased.

Equipment:

18 Inch Alloy Wheels, Leather Seats, Silver Side Steps, Silver Roof Rails, 8-way Power Seat Driver, 8" Touch screen display w/ Nissan Connect (with Android Auto and Apple Car Play) + Audio - CD, AM/FM, RDS, Bluetooth Connectivity + W2DIN Audio (CD+AM+FM), Steering wheel Controls, Around View Monitor with Moving Object Detection, Reverse camera and sensors, Dual-zone Automatic A/C, Chrome Grill, Body Coloured Front & Rear Bumper, Power Adjustment + Auto Fold + Body Coloured Exterior Mirrors, Rear screen Manual Slide, Fog lights, Headlights: LED + Auto + Follow me home, Daytime running lights, 3 x USB ports, Power windows with driver auto up/down button, Chrome Door Handles, Front and rear mud flaps, Front towing hook, Full Size Spare Alloy Spare Wheel, 4-way Manual FR Passenger Seats, Floor material Carpet, 2 Front cup holders, 2 Front door storage pockets and bottle holder, 2 Rear door storage pockets and bottle holder, Sunglass holder, Rear seat armrest with cup holders, 2 x 12V outlet inside cabin, Rear air vents in centre console, Central Locking + Speed sensing auto door lock, Driver and front passenger airbags, Side airbags, Curtain airbags, Driver knee airbag, ISOFIX child seat anchorage, Anti-theft system (Immobiliser), Alarm, Anti-lock Braking System (ABS), Electronic Brake force Distribution (EBD), Brake Assist (BA), Vehicle Dynamic Control (VDC), Trailer Stability Assist (TSA), Hill Start Assist (HSA), Hill Descent Control (HDC), Cruise Control, Variable Intermittent, Rain Sensing Windscreen Wipers, Suspension: Independent double-wishbone + stabiliser Front / Leaf Spring Rear, Payload: 915 kg, Approach angle: 33degree, Departure angle 25 degree, Ramp break-over angle: 24 degree

More Images









