

Vehicle identification

Model: DS 7 CROSSBACK (X74)

Equipment

| ABOVE SPEC TYRES | WITHOUT ABOVE SPEC TYRES |
|----------------------------------|---|
| ACCIDENT PROTOCOL | WITHOUT ACCIDENT PROTOCOL |
| ADDITIONAL BLOWER | WITHOUT ADDITIONAL PULSE |
| ADDITIONAL ELECTRONIC UNIT | WITHOUT ADDITIONAL ELECTRONIC UNIT |
| ADDITIONAL HEATING | WITHOUT ADDITIONNAL HEATING |
| ADDITIONAL SHIELD (UNDER ENGINE) | ENGINE UNDERSHELDING |
| AIRBAG DEACTIVATION | MANUAL AIRBAG DEACTIVATION |
| AIR CONDITIONING | WITH HEATER MATRIX |
| AIR CONDITIONING (COMPRESSOR) | DENSO 160 CC EXTERNAL VARIABLE AIR CONDITIONING COMPRESSOR WITHOUT CLUTCH |
| AIR CONDITIONING PIPES | IHX TECHNOLOGY AIR CONDITIONING PIPES |
| ALTERNATOR | ALTERNATOR CLASS 18 HEA |
| ANTI-INTRUSION PROTECTION | WITHOUT ANTI-THEFT PROTECTION |
| ANTI-THEFT ALARM | WITHOUT THEFT PROTECTION ALARM |
| ANTI-THEFT NUTS | WITHOUT ANTI-THEFT NUTS |
| ASHTRAY | WITHOUT ASHTRAY |
| ASSISTANCE CALL | WITHOUT ASSISTANCE CALL |
| ATMOSPHERIC CONDITIONS | DUSTY ATMOSPHERE |
| AUDIO PACK AUXILIARY SOCKET | AUXILIARY SOCKET AUDIO PACK 2 USB TYPE C |
| AUTOMATIC BRAKING | EMERGENCY COLLISION BRAKING WITH CAMERA |
| BADGE | FAMILY BADGE |
| BATTERY | BATTERY L3 720 LDC |
| BATTERY CHARGE MEASUREMENT | WITH BATTERY CHARGE MEASUREMENT |
| BATTERY CHARGER | WITHOUT ON-BOARD CHARGER |
| BLIND SPOT DETECTION | WITH BLIND SPOT MONITORING |
| BOOT CONTROL | MOTORISED BOOT OR TAILGATE CONTROL |
| BRAKE ASSOCIATED VARIANT | BOSCH 9.3 ESP |
| BRAKE PEDAL RATIO | BRAKE PEDAL RATIO 3.5 |
| BRAKE TYPE | VENTILATED FRONT DISCS/REAR DISCS |
| | |

| Citroën DS VR1J4EGPDRY500359 - DS 7 CROSSBACK (X74) - |
|---|
| BODY COLOUR FR BUMPER+GLOSS BLACK GRILLE+BODY COLOUR RR |
| |

| BUMPER | BODY COLOUR FR BUMPER+GLOSS BLACK GRILLE+BODY COLOUR RR BUMPER+PAINTED BEAD |
|------------------------------------|--|
| BUMPER TRIM | BUMPER WITHOUT TRIM |
| CABIN SEAT | WITHOUT CAB SEAT |
| CAPACITY | 1600 CM3 |
| CARPET COVER | W/O CARPETMAT |
| CATALYTIC CONVERTER | CATALYTIC CONVERTER BELOW 50PPM |
| CEN. LOCKING REM CONTROL FREQUENCY | 433.92 MHZ SUPER HETERODYNE |
| CHILD SEAT ANCHORING POINTS | WITHOUT ANCHORAGE WITH ISOFIX FR AND RR |
| CIGAR LIGHTER | WITHOUT CIGAR-LIGHTER |
| CITY PARK | WITHOUT CITY PARK |
| CLEAN CABIN | WITHOUT CLEAN CABIN |
| CLIMATE (AMBIENT TEMP) | VERY HOT COUNTRY |
| CLOCK | WITHOUT CLOCK |
| CLUTCH | WITHOUT CLUTCH |
| COMPACT DISC | WITHOUT COMPACT DISC |
| CONDENSER (SPECIFICATIONS) | CONDENSER 28DM2 - THICKNESS 16 BCH SCREWED |
| CONNECTABLE NAVIGATION LEVEL | CNX1 TOMTOM CONNECTABLE NAVIGATION WITH ONLINE HOTLINE |
| CONVERSION GUIDANCE | WITHOUT CONVERSION |
| COOLING MOTOR | RADIATOR 28DM2 - EP28 SEMI SURFACE |
| COURTESY MIRROR | DRIVER+PASSENGER CONCEALABLE MIRROR WITH LED LIGHTING |
| CRANKCASE GAS CIRCUIT HEATING | WITH HEATER CASING GAS CIRCUIT |
| CRUISE CONTROL | WITH GEAR CHANGE |
| DAMPING (TYPE) | BASE DAMPING |
| DASHBOARD EQUIPMENT | PVC PU DASHBOARD |
| DEFINITION TO FOLLOW | MID-LIFE |
| DIESEL FILTER WATER DETECTOR | WITHOUT DIESEL FILTER WATER DETECTOR |
| DISPLAY | 12-INCH COLOUR HD TOUCHSCREEN DISPLAY |
| DRIVER'S SEAT HEIGHT CONTROL | DRIVER'S HEIGHT ADJUSTER HEIGHT ADJUSTMENT |
| DRIVER SEAT ADJUSTMENT | DRIVER'S SEAT ELECTRIC TILTING BACKREST LUMBAR SUPPORT |
| DRIVER SEAT CONTROL | MANUAL DRIVER'S SEAT CONTROL |
| DRIVER VIGILANCE ALERT | DRIVER DROWSINESS DETECTION WARNING |
| DRIVE TRAIN | INTERNAL COMBUSTION DRIVE TRAIN |
| DRIVING POSITION | LEFT-HAND DRIVE |
| DRIVING WHEELS | 2 DRIVEN WHEELS |
| DYNAMIC STABILITY CONTROL SYSTEM | ELECTRONIC STABILITY PROGRAM |
| ELECTRICAL EQUIPMENT (SUPPLY) | STANDARD PROVISION ELECTRICAL EQUIPMENT |
| EMERGENCY CALL | WITHOUT E_CALL EMERGENCY CALL |
| | |

| EMERGENCY EQUIPMENT | W/O HELP EQUIPMENT |
|---|--|
| EMERGENCY WARNING TRIANGLE | WITHOUT WARNING TRIANGLE |
| EMISSIONS STANDARD (ENGINE) | EURO 6.1 ENGINE EMISSION CONTROL |
| ENGINE (TYPE) | EP TYPE ENGINE |
| ENGINE SUSPENSION | LIGHTENED ENGINE SUSPENSION |
| EOBD SELF-DIAGNOSIS SYSTEM | WITHOUT ""OBD"" AUTO-DIAGNOSTICS |
| EXHAUST TAILPIPE | REAR RIGHT AND LEFT EXHAUST OUTLET |
| EXHAUST TAILPIPE TRIM | CHROME EXHAUST OUTLET TRIM |
| EXT. LOAD RETENTION RING (ATTACHMENT) | BOAT EXT LASHING RING |
| EXT. REAR VIEW MIRROR (DRIVER SIDE RADIUS) | CURVED EXTERIOR MIRROR GLASS |
| EXT. REARVIEW MIRROR COMP. FUNCTION | DRIVER+PASSENGER ELECTRIC FOLDING+DIODE+MAR+MEMORY+EL |
| EXT DETECTION ADDITIONAL DISPLAY | WITHOUT ADDITIONAL DISPLAYING EXTERIOR DETECTION |
| EXTERIOR ACCESSORIES | CHROME+BODY-COLOURED EXT HANDLE |
| EXT MIRROR APPEARANCE | BODY COLOUR EXTERIOR MIRROR+BLACK HOUSING |
| FAN | 1ELECT VARIABLE SPEED 180W AERO DYNAMIC FLAP |
| FINAL DRIVE RATIO | REAR AXLE GEARSET 15 X 61 |
| FLANK GUARD (LATERAL DETECTION) | WITHOUT SIDE DETECTION |
| FLOOR MAT | W/O CARPETMAT |
| FOOTREST | DRIVER'S FOOTREST |
| FOOTWELL LIGHTING | DRIVER + FR PASSENGER FOOTWELL LIGHTING |
| FRAGRANCE DIFFUSER | WITHOUT FRAGRANCE DIFFUSER |
| FR DISC DIMENSION | FRONT DISC DIAMETER 304 THICKNESS 28 |
| FR IMPACTS | REINFORCED FR IMPACT PROTECTORS |
| FRONT ANTI-ROLL BAR | FR ANTI-ROLL BAR STIFFNESS 32500 NM/RAD |
| FRONT FOGLAMP | NO FRONT FOG LIGHTS |
| FRONT HEAD RESTRAINT | 2-WAY ADJUSTABLE FR HEAD RESTRAINT |
| FRONT LATERAL AIRBAG | FR CHEST/PELVIS SIDE AIRBAG+CURTAIN AIRBAG |
| FRONT PANEL | PLASTIC FRONT PANEL SET FORWARD |
| FRONT PASSENGER SEAT ADJUSTMENT | WITHOUT FRONT PASSENGER'S SEAT ADJUSTMENT |
| FRONT PASSENGER SEAT CONTROL | MANUAL FRONT PASSENGER SEAT CONTROL |
| FRONT PASSENGER SEAT HEIGHT CONTROL | FRONT PASSENGER SEAT CUSHION HEIGHT ADJUSTMENT PARALLEL ADJUSTMENT |
| FRONT SEAT ARMREST | CENTRAL ARMREST FLOCKED + PVC |
| FUEL | UNLEADED PETROL 95 QUALITY A/B/E/E+ |
| FUEL (TYPE) | PETROL TYPE FUEL |
| FUEL ADDITIVE | WITHOUT FUEL ADDITIVE |
| FUEL FILLER CAP | WITHOUT FUEL FILLER CAP |
| | |

| FUEL SUPPLY | DIRECT EXCHANGER TURBO INJECTION |
|------------------------------------|--|
| FUEL TANK | FUEL TANK WITHOUT LOCATING TAB |
| FUEL TANK CAPACITY | 62-LITRE FUEL TANK |
| GEARBOX (CHARACTERISTICS) | ATNG8 |
| GEARBOX TYPE | ATN8 TYPE GEARBOX |
| GEAR CHANGE CONTROL TYPE | ELECTRIC GEAR ENGAGEMENT CONTROL |
| GEAR SELECTOR | RAISED GEAR LEVER AT THE FLOOR + AT THE STEERING WHEEL |
| GENERAL SAFETY REGULATION (GSR) | WITHOUT GSR |
| GLASS (APPEARANCE) | TINTED + DARK-TINTED WINDOW GLASS |
| HANDS FREE ACCESS AND STARTING | WITH HANDS-FREE ACCESS/STARTING |
| HANDS FREE BOOT ACCESS | WITH ARMS FULL ACCESS |
| HEADLAMP BULBS | ECO LED |
| HEADLAMP HEIGHT ADJUSTER | REMOTE MANUAL HEADLAMP ADJUSTMENT |
| HEADLAMP WIPER | W/O HEADLAMP WIPER |
| HEATING ELEMENT | NON HEATED SEAT |
| HILL ASSIST | WITH HILL START ASSIST |
| HORNS | HORNS-HARMONY |
| IN CRASH BRAKING | WITHOUT AUTOMATIC BRAKING AFTER COLLISION |
| INFLATION PRESSURE LOSS INDICATOR | INDIRECT DETECTION OF UNDER-INFLATION WITH LOCATION |
| INSTRUMENT PANEL (CHARACTERISTICS) | DIGITAL INSTRUMENT PANEL 29 WARNING LAMPS |
| INTERIOR REAR VIEW MIRROR | FRAMELESS INTERIOR ELECTROCHROMATIC MIRROR |
| INTERNET ACCESS | WITH ONLINE PORTAL |
| IONISER | WITHOUT IONISER |
| JUKE BOX | WITHOUT JUKE BOX |
| LABEL | WITHOUT LABEL |
| LIGHTENING OF LEVEL 0 | WITHOUT LIGHTENING |
| LIGHTING OF LAMPS | AUTOMATIC SWITCHING ON OF THE LIGHTS+AUTOMATIC SWITCHING |
| LOAD SPACE LIGHTING | LED STORAGE COMPARTMENT + GLOVE BOX LIGHTING |
| LOAD SPACE STORAGE | PRE-EQUIPPED FOR RETRACTABLE FLOOR STORAGE |
| LOCKING CONTROL | NORMAL + AUTOMATIC LOCKING |
| LOUDSPEAKER | 4 FR SPEAKERS (2 TW + 2 FR)+2 RR SPEAKERS |
| LUGGAGE CARRIER (APPEARANCE) | LUGGAGE CARRIER BAR ALU-LIKE |
| LUGGAGE COVER | SHELF |
| MASSAGING SEAT | WITHOUT MASSAGING SEAT |
| MIRROR LINK | WITH MIRROR LINK |
| MISC. INT. LAMPS | MONOCHROME AMBIENCE LED LIGHTING |
| MODE SELECTOR | MULTI-MODE SELECTOR |
| MODIFICATION WINDOW | 3RD WINDOW 2021/BEFORE 3RD WINDOW 2023 |
| MODIFICATION WINDOW | 2ND WINDOW 2021/BEFORE 2ND WINDOW 2023 |
| MODIFICATION WINDOW | 1ST WINDOW 2023/BEFORE 1ST WINDOW 2025 |

| | Children Bo VRIVI Edi Britandoso Bo V Cholobalich (1711) |
|---------------------------------|---|
| MULTIPLEXING | R3 ECO ELECTRICAL ARCHITECTURE |
| NIGHT VISION | WITHOUT VISION |
| NUMBER PLATE | WITHOUT LICENCE PLATE |
| OBSTACLE DETECTION SYSTEM | FRONT/REAR RADAR OBSTACLE DETECTOR + TRAJECTORY |
| OIL GAUGE | STD OIL LEVEL INDICATOR |
| ORIGINAL ENGINE BASE | EP6FADT ENGINE BASE |
| OTHER BADGE, " MISC. " | WITHOUT FULLER BADGE |
| PANORAMIC VISUAL AID | VIDEO PARK 1 |
| PARTICLE FILTER | WITHOUT PARTICLE FILTER |
| PASSENGER COMPARTMENT HEATER | WITHOUT PASSENGER COMPARTMENT HEATER |
| PEDAL BRACKET (POSITION) | PLASTIC LOW PEDAL BRACKET |
| PEDAL BRACKET (TYPE) | SIMPLE STANDARD PEDAL BRACKET |
| PILOTED AIR INLET MODULE | WITHOUT CONTROLLED AIR INTAKE MODULE |
| POLLEN FILTER | WITH POLLEN FILTER + ACTIVATED CARBON |
| PORTABLE CHARGER | WITHOUT WIRELESS CHARGING |
| PROTECTION UNIT | TERMINAL FUSE PROTECTION UNIT |
| RADIO HEADPHONE SOCKET | DOUBLE ACCESSORY SOCKET |
| RADIO RECEIVER | ANALOGUE + DAB RADIO RECEIVER |
| REAR HEAD RESTRAINT | REAR HEADREST ADJUSTABLE |
| REAR PASSENGER PROTECTION | W/O RR PASSENGER PROTECTION |
| REAR SEAT | SEAT CUSHION+BACK 2/3-1/3 FOLDING |
| REAR SEAT ARMREST | WITHOUT RR SEAT ARMREST |
| REAR SEAT PADDING | WITHOUT RR PASSENGER DETECTION |
| REAR SPOILER | WITHOUT REAR SPOILER |
| REAR SUSPENSION (TYPE) | MULTI-ARM RR SUSPENSION LOW WHEEL SHAFT |
| REFRIGERANT | REFRIGERANT LIQUID R134 |
| REFRIGERATION | AUTOMATIC AIR CONDITIONING |
| REPARABILITY | STANDARD REPARABILITY |
| RIM/TYRE SIZE | 19 INCH TYRE FIT |
| RIM (COLOUR) | DIAMOND BLACK WHEEL RIM |
| ROOF GLASS | WITH SLIDING TILTING ROOF WINDOW ONE-TOUCH CONTROL ANTI-PINCH |
| RR BRAKE DIMENSION | REAR DISC DIAMETER 290 THICKNESS 12 |
| RR OVERHANG | RR OVERHANG 709 MM |
| RR SEAT ADJUSTMENT | WIHTOUT REAR SEAT ADJUSTMENT |
| SATELLITE NAVIGATION SYSTEM | CONNECTABLE NAVIGATION SYSTEM |
| SCREEN UNDER POWER TRAIN | SHIELD UNDER POWER TRAIN PANEL PROTECTION |
| SCR RESERVOIR CAPACITY | WITHOUT SCR RESERVOIR BUFFER |
| SCR SYSTEM | WITHOUT SCR SYSTEM |
| SEATING ASSOCIATED VARIANT | VARIANT ASSOCIATED WITH HIGH SEAT POSITION |
| SECONDARY BRAKE | ELECTRIC SECONDARY BRAKE |
| | |

| SET OF KEYS | SET OF BADGE KEYS + BACK-UP KEY |
|------------------------------------|---|
| SIDE MOULDINGS (TYPE) | CHROME SIDE PROTECTORS |
| SIDE WINDOW TYPE | ACOUSTIC LAMINATED SIDE WINDOW |
| SIGN READING | SPEED LIMIT SIGN READING+SIGNALLING (ETSR) |
| SOUND REPRODUCTION | MAINSTREAM |
| SPARE WHEEL | SPACE-SAVING SPARE WHEEL |
| SPECIAL POWER TRAIN SOUND | WITHOUT POWER TRAIN ACOUSTICS |
| SPEED GRADUATIONS | SPEED GRADUATION IN KM/H |
| SPEED SENSOR SIGNAL | FRONT WHEEL SENSOR NON-SIGN RR SIGNED |
| STARTER MOTOR | STARTER MOTOR CL 5 |
| STEERING (OPERATION) | LOW POWER DOUBLE PINION ELECTRIC POWER STEERING |
| STEERING WHEEL | 4-SPOKE SPLIT LEATHER STEERING WHEEL |
| STEERING WHEEL ANGLE | WITH STEERING ANGLE SENSOR |
| STOP AND START | WITHOUT STOP AND START |
| SUBFRAME | HARDENED STEEL WITH EXTENSIONS |
| SUN VISOR LABEL | WORLD LABEL |
| SURFACE CONDITIONS | UNEVEN TERRAIN |
| SUSPENSION | RAISED FR AND RR REINFORCED SUSPENSION |
| SUSPENSION AND WHEELS | SUSPENSION AND WHEELS PATTERN 2 |
| SUSPENSION WISHBONE | REINFORCED ALU SUSPENSION WISHBONE E1.1700 E2.75 ASYM |
| TANK FILTER | RESERVOIR FILTER EXTERIOR |
| TECHNICAL MODIFICATION | WITHOUT TECHNICAL MODIFICATION |
| TELECOM CONNECTIVITY SIM CARD ZONE | DAML TELECOM CONNECTIVITY SIM CARD |
| TELEMATICS LANGUAGE | STANDARD TELEMATICS LANGUAGE |
| TELEMATIC UNIT | INDEPENDENT TELEMATIC UNIT |
| TOWBAR | WITHOUT TOWBAR |
| TRAFFIC INFORMATION READER | LKA STRUCTURAL EDGE |
| TRIM ADAPTATION | LEATHER GEAR LEVER KNOB + LEATHER GAITER |
| TUNER RADIO | DUAL RADIO TUNER |
| TYPE OF INFORMATION SENT | MAXIMUM-COLLECTION FIXED LIST |
| TYPE OF MAINTENANCE | SEVERE MAINTENANCE |
| TYPE OF SIGNALLING | SIGNALLING BY LEDS |
| TYRE (BRAND) | MICHELIN TYRE |
| TYRE (QUALITY) | TYRE GRADE C1-A-ROLLING RESISTANCE COEFFICIENT 6.5 OR LOWER |
| TYRE (SIZE, TYPE) | 235/50 R19 103V REINFORCED |
| VARIANT ASSOCIATED WITH DESIGN | EUROPE |
| VEHICLE FAMILY | DS 7 CROSSBACK (X74) |
| VEHICLE TECHNICAL DEPOLLUTION | LOWER EURO 6 VEHICLE TECHNICAL EMISSION CONTROL |
| VIDEO RECORDING (IDVR) | WITHOUT VIDEO RECORDING |
| VIN PLATE | OUTSIDE EUROPEAN UNION CONSTRUCTOR'S PLATE |
| WALL SOCKET MODE 3 | WITHOUT WALL SOCKET |

Citroën DS VR1J4EGPDRY500359 - DS 7 CROSSBACK (X74) -

| WATER DRIVING RESTRICTION | WITH WATER DRIVING CONSTRAINT |
|---------------------------|--|
| WHEEL (TYPE) | ALLOY WHEEL ASSEMBLY 1 |
| WHEELBASE | WHEELBASE 2730 |
| WHEEL EMBELLISHER (STYLE) | BLACK CAP |
| WHEEL STYLE | HOPE 1 19-INCH WHEEL |
| WIDENED RR TRACK | WIDENED RR TRACK RS325 |
| WIFI | WITHOUT WIFI |
| WINDOW (TYPE) | ACOUSTIC LAMINATED WINDSCREEN + TOUGHENED REAR GLASS |
| WINDSCREEN GLASS (TYPE) | STANDARD WINDSCREEN GLASS |
| WINDSCREEN WIPER | FRONT WIPER BLADE WITH RAIN SENSOR |
| | |